



COPY OF PAPERS
ORIGINALLY FILED

2882
#2 J 2
6.15.02 Patent
Attorney Docket No. GEMS8081.117

RECEIVED
JUN 5 2002
1C 2800 MAIL ROOM

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of : LI, Jianying et al.
Serial No. : 09/683,781
Filing Date : 2/13/2002
Title : ***Method and Apparatus of CT Imaging with Voltage Modulation***
Group Art No. : 2882
Examining Attorney : Unknown

CERTIFICATION UNDER 37 CFR 1.8(a) and 1.10

I hereby certify that, on the date shown below, this correspondence is being:

Mailing

deposited with the United States Postal Service in an envelope addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231
 37 CFR 1.8(a) with sufficient postage as first class mail
 transmitted by facsimile to Fax No.: _____

37 CFR 1.10

As "Express Mail Post Office to Addressee" Mailing Label No. _____.
Transmission addressed to Examiner at the Patent and Trademark Office.

Date: May 17, 2002

Daen Daen
Signature

Commissioner of Patents
and Trademarks
Washington, D.C. 20231

**INFORMATION DISCLOSURE STATEMENT
UNDER 37 C.F.R. §1.97/99**

Dear Sir:


In compliance with Applicants' duty of disclosure as set forth in 37 C.F.R. §1.56, listed on the attached equivalent to Form PTO-1449 are those patents, publications and other information known to the Applicant(s) which may be considered material to the patentability of the claims of the above-captioned application. One copy of each reference is attached.

LI, JIANYING, ET AL.

Serial No. 09/683,781

The Applicants respectfully request that the documents listed on the attached equivalent to Form PTO-1449 be considered by the Examiner, that the references be made of record in the present application, and that an initialed copy of the duplicate equivalent to Form PTO-1449 be returned to the undersigned in accordance with MPEP 609.

Respectfully submitted,



J. Mark Wilkinson
Registration No. 48,865

Date: May 17, 2002

P.O. ADDRESS:

Cook & Franke, S.C.
660 East Mason Street
Milwaukee, Wisconsin 53202
(414) 271-5900